CAT6 Slim Patch Cord, U/FTP, flat, red





DESCRIPTION

The SLIMpatchcords from the trademark SLIM® are the solution for many problems of structured cabling. Even if they look quite similar to a flat telephone cable, they reach a category 6 performance and are suitable to all 10BASE-T-, 100BASE-TX- und 1000BASE-T applications, including gigabit ethernet. 3 SLIMpatchcords do have the same diameter as a usual category 6 copper patchcord. Despite the extremely thin design, the cable has a twisting of the individual wire pairs. In addition, it has a wide, flexible latch protection as well as a practical length print on both ends and supports Power over Ethernet (PoE IEEE802.3af).

FEATURES

- Category 6 patchcord
- Shield: U/FTP shielded
- Colour: Red, similar RAL3020
- 4- pairs twisted
- Wires: AWG36 100% copper
- Coating: PVC
- 14 different length
- New innovative boot design

TRIOTRONIK Computer und Netzwerktechnik GmbH. Alle Rechte vorbehalten. Kopieren und Nachdrucken (auch auszugsweise) ist untersagt.
Alle hier aufgeführten Namen und Zeichen sind Eigentum des jeweiligen Herstellers. Druckfehler, Änderungen & Irrtümer vorbehalten.

CAT6 Slim Patch Cord, U/FTP, flat, red

PRODUCT FEATURES

Fire retardant version	No
AWG-size	AWG36
Pining	TIA/EIA 568 B
Color	Red
Color anti-kink sleeve	Red
Halogen free according to EN IEC 60754-1	No
Halogen free according to EN IEC 60754-2	No
Halogen free according to EN IEC 60754-3	No
Cable construction	4x2
Cable Structure	6,1 mm x 1,5 mm
Cable Type	U/FTP
Category	CAT.6
Anti-kink sleeve	Moulded-on
Copper Cable Construction	4x2xAWG36/7
Length	0.1 m / 0.15 m / 0.25 m / 0.5 m / 0.75 m / 1 m / 1.5 m / 10 m / 15 m / 2 m / 20 m / 25 m / 3 m / 5 m / 7.5 m
Coating	PVC
Color outer sheath	Red
Oil resistant according to EN IEC 60811-404	No
Pin assignment	1:1
Locking lever	Yes
Shield	U/FTP shielded
Type of Connector Connection 1	RJ45 8(8)
Type of Connector Connection 2	RJ45 8(8)

APPLICATION

Typical application areas for the SLIMpatchcords:

- Overfilled server or network cabinets or cable channels
- Telephone system or switches with high port densities. With very short cables, you could easily patch from switch to switch or switch to panel without cable routing
- Connection of VoIP telephones because they are extremely flexible and therefore not so difficult to lay on a desk
- Applications in industry and manufacturing where ethernet connections are required, but only little space is available
- As a patch cable in the notebook bag for technicians and field staff
- In the private environment to lay a patch cable under the carpet or the edge strip

PRODUCT NUMBER		EAN Code
PKW-STP-SLIM-KAT6 0.1 RT	0.1 Meter	9120064011888
PKW-STP-SLIM-KAT6 0.15 RT	0.15 Meter	9120064011970
PKW-STP-SLIM-KAT6 0.25 RT	0.25 Meter	9120064012069
PKW-STP-SLIM-KAT6 0.5 RT	0.5 Meter	9120064012151
PKW-STP-SLIM-KAT6 0.75 RT	0.75 Meter	9120064012243
PKW-STP-SLIM-KAT6 1.0 RT	1.0 Meter	9120064012335
PKW-STP-SLIM-KAT6 1.5 RT	1.5 Meter	9120064012427
PKW-STP-SLIM-KAT6 10.0 RT	10.0 Meter	9120064012519
PKW-STP-SLIM-KAT6 15.0 RT	15.0 Meter	9120064012601

TRIOTRONIK Computer und Netzwerktechnik GmbH. Alle Rechte vorbehalten. Kopieren und Nachdrucken (auch auszugsweise) ist untersagt.
Alle hier aufgeführten Namen und Zeichen sind Eigentum des jeweiligen Herstellers. Druckfehler, Änderungen & Irrtümer vorbehalten.

CAT6 Slim Patch Cord, U/FTP, flat, red

PKW-STP-SLIM-KAT6 2.0 RT	2.0 Meter	9120064012694
PKW-STP-SLIM-KAT6 20.0 RT	20 Meter	9120064012786
PKW-STP-SLIM-KAT6 25.0 RT	25.0 Meter	9120064012878
PKW-STP-SLIM-KAT6 3.0 RT	3.0 Meter	9120064012960
PKW-STP-SLIM-KAT6 5.0 RT	5.0 Meter	9120064013059
PKW-STP-SLIM-KAT6 7.5 RT	7.5 Meter	9120064013141

TRIOTRONIK Computer und Netzwerktechnik GmbH. Alle Rechte vorbehalten. Kopieren und Nachdrucken (auch auszugsweise) ist untersagt.
Alle hier aufgeführten Namen und Zeichen sind Eigentum des jeweiligen Herstellers. Druckfehler, Änderungen & Irrtümer vorbehalten.