CAT6 Slim Patch Cord, U/FTP, flat, black





DESCRIPTION

The SLIMpatchcords from the trademark SLIM® are the solution for many problems of structured cabling. Even if they look quite similar to a flat telephone cable, they reach a category 6 performance and are suitable to all 10BASE-T-, 100BASE-TX- und 1000BASE-T applications, including gigabit ethernet. 3 SLIMpatchcords do have the same diameter as a usual category 6 copper patchcord. Despite the extremely thin design, the cable has a twisting of the individual wire pairs. In addition, it has a wide, flexible latch protection as well as a practical length print on both ends and supports Power over Ethernet (PoE IEEE802.3af).

FEATURES

- Category 6 patchcord
- Shield: U/FTP shielded
- Colour: Black, similar RAL9011
- 4- pairs twisted
- Wires: AWG36 100% copper
- Coating: PVC
- 14 different length
- New innovative boot design

TRIOTRONIK Computer und Netzwerktechnik GmbH. Alle Rechte vorbehalten. Kopieren und Nachdrucken (auch auszugsweise) ist untersagt.
Alle hier aufgeführten Namen und Zeichen sind Eigentum des jeweiligen Herstellers. Druckfehler, Änderungen & Irrtümer vorbehalten.

CAT6 Slim Patch Cord, U/FTP, flat, black

PRODUCT FEATURES

Fire retardant version	No
AWG-size	AWG36
Pining	TIA/EIA 568 B
Color	Black
Color anti-kink sleeve	Black
Halogen free according to EN IEC 60754-1	No
Halogen free according to EN IEC 60754-2	No
Halogen free according to EN IEC 60754-3	No
Cable construction	4x2
Cable Structure	6,1 mm x 1,5 mm
Cable Type	U/FTP
Category	CAT.6
Anti-kink sleeve	Moulded-on
Copper Cable Construction	4x2xAWG36/7
Length	0.1 m / 0.15 m / 0.25 m / 0.5 m / 0.75 m / 1 m / 1.5 m / 10 m / 15 m / 2 m / 20 m / 25 m / 3 m / 5 m / 7.5 m
Coating	PVC
Color outer sheath	Black
Oil resistant according to EN IEC 60811-404	No
Pin assignment	1:1
Locking lever	Yes
Shield	U/FTP shielded
Type of Connector Connection 1	RJ45 8(8)
Type of Connector Connection 2	RJ45 8(8)

APPLICATION

Typical application areas for the SLIMpatchcords:

- Overfilled server or network cabinets or cable channels
- Telephone system or switches with high port densities. With very short cables, you could easily patch from switch to switch or switch to panel without cable routing
- Connection of VoIP telephones because they are extremely flexible and therefore not so difficult to lay on a desk
- Applications in industry and manufacturing where ethernet connections are required, but only little space is available
- As a patch cable in the notebook bag for technicians and field staff
- In the private environment to lay a patch cable under the carpet or the edge strip

PRODUCT NUMBER		EAN Code
PKW-STP-SLIM-KAT6 0.1 SW	0.1 Meter	9120064011895
PKW-STP-SLIM-KAT6 0.15 SW	0.15 Meter	9120064011987
PKW-STP-SLIM-KAT6 0.25 SW	0.25 Meter	9120064012076
PKW-STP-SLIM-KAT6 0.5 SW	0.5 Meter	9120064012168
PKW-STP-SLIM-KAT6 0.75 SW	0.75 Meter	9120064012250
PKW-STP-SLIM-KAT6 1.0 SW	1.0 Meter	9120064012342
PKW-STP-SLIM-KAT6 1.5 SW	1.5 Meter	9120064012434
PKW-STP-SLIM-KAT6 10.0 SW	10.0 Meter	9120064012526
PKW-STP-SLIM-KAT6 15.0 SW	15.0 Meter	9120064012618

TRIOTRONIK Computer und Netzwerktechnik GmbH. Alle Rechte vorbehalten. Kopieren und Nachdrucken (auch auszugsweise) ist untersagt.
Alle hier aufgeführten Namen und Zeichen sind Eigentum des jeweiligen Herstellers. Druckfehler, Änderungen & Irrtümer vorbehalten.

CAT6 Slim Patch Cord, U/FTP, flat, black

PKW-STP-SLIM-KAT6 2.0 SW	2.0 Meter	9120064012700
PKW-STP-SLIM-KAT6 20.0 SW	20 Meter	9120064012793
PKW-STP-SLIM-KAT6 25.0 SW	25.0 Meter	9120064012885
PKW-STP-SLIM-KAT6 3.0 SW	3.0 Meter	9120064012977
PKW-STP-SLIM-KAT6 5.0 SW	5.0 Meter	9120064013066
PKW-STP-SLIM-KAT6 7.5 SW	7.5 Meter	9120064013158

TRIOTRONIK Computer und Netzwerktechnik GmbH. Alle Rechte vorbehalten. Kopieren und Nachdrucken (auch auszugsweise) ist untersagt.
Alle hier aufgeführten Namen und Zeichen sind Eigentum des jeweiligen Herstellers. Druckfehler, Änderungen & Irrtümer vorbehalten.